

# SAFETY DATA SHEET

Date: 9/10/2024

### **ACP-170 - Stainless Steel Furniture Polish**

# 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name Stainless Steel Furniture Polish

Other Means of Identification

Product Code ACP-170

Recommended Use of the Chemical and Restrictions on Use
Recommended Use Cleaning and polishing

**Details of the Supplier of the Safety Data Sheet** 

Manufacturer Address Arrow Chemical Products, Inc.

5933 W. KL Ave Kalamazoo, MI 49009

**Emergency Telephone Number** 

Company Phone Number

313-237-0277

**Emergency Telephone** INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

### Classification

Aspiration Hazard	Category 1
Skin Corrosion/Irritation	Category 2
Serious Eve Damage/Eve Irritation	Category 2 Sub-category A

Signal Word DANGER

<u>Hazard Statements</u>

May be fatal if swallowed and enters airways
Causes skin irritation and severe eye irritation



Appearance: White liquid Physical State: Liquid Odor: Slight Petroleum

# **Precautionary Statements - Prevention**

Do not taste or swallow.

Do not breathe dust/fume/gas/mist/vapors/spray

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### **Precautionary Statements - Response**

**IF SWALLOWED:** Call a POISON CENTER or doctor/physician. Drink a large quantity of water if able. Do NOT induce vomiting. If possible, do not leave individual unattended.

**IF IN EYES:** Flush with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician

#### **Precautionary Statements - Storage**

Keep container tightly closed. Store in a cool dry place.

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### **COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
Petroleum Distillates (Mineral Seal Oil)	64742-46-7	20 - 50
Tall Oil (Fatty Acid)	61790-12-3	0 - 5
Triethanolamine	102-71-6	0 - 10

# 4. FIRST AID MEASURES

### **First Aid Measures**

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

irritation persists of is contact has been prolonged, seek medical attention.

**Eye Contact** Rinse with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Call a POISON CENTER or

doctor/physician.

**Skin Contact** Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Most Important Symptoms and Effects, both Acute and Delayed

**Symptoms** May cause eye and skin irritation. Ingestion can cause irritation to the digestive tract or

cause a laxative effect. This material can enter the lungs directly by aspiration and cause

severe lung damage or death.

### Indication of any Immediate Medical Attention and Special Treatment Needed

Note to Physicians If ingested, this material presents a significant aspiration and chemical pneumonitis hazard.

Induction of emesis is not recommended. Consider activated charcoal and/or gastric lavage. If patient is obtunded, protect the airway by cuffed endotracheal intubation or by

placement of the body in a Trendelenburg and left lateral decubitus position.

# 5. FIRE-FIGHTING MEASURES

### **Suitable Extinguishing Media**

Use dry chemical, carbon dioxide, water or other extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None known.

# **Specific Hazards Arising from the Chemical**

Burning can produce carbon monoxide, carbon dioxide, smoke, and fumes.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# **6. ACCIDENTAL RELEASE MEASURES**

# Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. Avoid contact with skin and eyes and

inhalation of vapors. Evacuate personnel to safe areas. Do not breathe

dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Do not eat,

drink or smoke when using this product.

### Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so. Collect using an inert absorbent non-

combustible material and place in appropriate containers for disposal. Prevent entry into

waterways, sewer, basements or confined areas.

**Methods for Cleaning Up** Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

### **Precautions for Safe Handling**

Advice on Safe Handling Use personal protective equipment as required. Wash face, hands and any exposed skin

thoroughly after handling. Do not eat, drink or smoke when using this product. Do not

breathe dust/fume/gas/mist/vapors/spray.

# Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions Keep container tightly closed when not in use. Store in a cool dry place. Avoid

contamination and extreme temperatures to minimize product degradation. For industrial

and commercial use only. KEEP OUT OF THE REACH OF CHILDREN.

Incompatible Materials Strong oxidizing agents.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Petroleum Distillates (Mineral Seal Oil)	200 mg/m <sup>3</sup>	TWA 200 mg/m <sup>3</sup>	-
64742-46-7			
Triethanolamine	5 mg/m <sup>3</sup>	3 ppm	3 ppm-
102-71-6			

### **Appropriate Engineering Controls**

**Engineering Controls** Good general ventilation should be sufficient for most conditions.

### Individual Protection Measures, such as Personal Protective Equipment

**Eye/Face Protection** Splash goggles or safety glasses.

**Skin and Body Protection** Rubber gloves or other impervious gloves.

**Respiratory Protection** Room ventilation is expected to be satisfactory where this product is used.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Odor

Water = 1

**Odor Threshold** 

Closed Cup - Open Cup

Slight Petroleum

Not determined

#### Information on Basic Physical and Chemical Properties

Physical State Liquid
Appearance White liquid

Color White

Property Values Remarks • Method

pH 7.0 – 9.0

Melting Point/Freezing Point Not available

Boiling Point/Boiling Range Not Definition

**Flash Point** 264° F (129° C) - 275° F (135° C)

Evaporation Rate <1

Flammability (Solid, Gas)
Upper Flammability Limits
Lower Flammability Limit
Vapor Pressure
Vapor Density
Not applicable
Not determined
Not determined
Not determined
Not determined

Specific Gravity 0.9 Water Solubility Complete

Solubility in Other Solvents
Partition Coefficient
Auto ignition Temperature
Decomposition Temperature
Kinematic Viscosity
Dynamic Viscosity
Not determined

**Explosive Properties** Drums heated by fire may explode

Oxidizing Properties Not determined

% Volatile by Weight 99.0

### 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

# **Chemical Stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

Incompatible with strong oxidizing agents.

**Hazardous Polymerization** Hazardous polymerization does not occur.

# **Conditions to Avoid**

Excessive heat, formation of oil mist.

# **Incompatible Materials**

Strong oxidizing agents.

### **Hazardous Decomposition Products**

Carbon monoxide and/or carbon dioxide.

# 11. TOXICOLOGICAL INFORMATION

### Information on Likely Routes of Exposure

**Product Information** 

**Inhalation** No significant or critical hazards.

**Eye Contact** May cause redness, tearing or blurred vision.

**Skin Contact** May cause dryness and irritation.

**Ingestion** May be fatal if swallowed and enters airways.

### **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Petroleum Distillates (Mineral Seal Oil) 64742-46-7	>5000 mg/kg (Rat)	>2000 mg/kg ( Rabbit )	
Triethanolamine 102-71-6	780 mg/kg (Rat)	13000 mg/kg (Rabbit)	No data available

# Information on Physical, Chemical and Toxicological Effects

Symptoms Harmful if swallowed. Irritating to the eyes. Product can enter the lungs directly by

aspiration and cause severe lung damage or death.

# Delayed and Immediate Effects as well as Chronic Effects from Short and Long-term Exposure

If ingested, this product presents a significant aspiration and chemical pneumonitis hazard. The symptoms of pneumonitis may not show up for a few days.

**Carcinogenicity** Not classified as a carcinogen per GHS criteria. Not classified as a carcinogen by NTP,

IARC, or OSHA.

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Triethanolamine	EC50 Desnodesmus	LC50 Fathead Minnow	Not Determined	EC50 Daphnia Magna
102-71-6	subspicatus 512 mg/l 72 h	11,800 mg/L 96 h		609.98 mg/L 48 h

### Persistence and Degradability

Not available

### **Bioaccumulation**

Not available

#### ACP-170 - Stainless Steel Furniture & Polish

### Mobility

Not available

# **Other Adverse Effects**

No known significant effects or critical hazards.

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

IMDG Not regulated

# 15. REGULATORY INFORMATION

#### **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

# US Federal Regulations

### **SARA 313**

No components listed

# **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Triethanolamine	X	X	X
102-71-6			

16. OTHER INFORMATION				
NFPA	Health Hazards	Flammability	Instability	Special Hazards
<u>/</u>	1	1	0	None known
<u>HMIS</u>	Health Hazards 1	Flammability 1	<b>Physical Hazards</b> 0	Personal Protection B

# Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**